

# SAFETY DATA SHEET

**Legal Entity / Contact Address** 

u1A, 62 Ferndell Street,

Australia

South Granville NSW 2142

According to WHS Regulations

Revision date 26-Mar-2025 Revision Number 1.2

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

**Product Name** Trans-Blot Turbo Transfer Pack, 0.2 µ Midi Nitrocellulose Membrane

Catalogue Number(s) 1704159, 1704159EDU

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Laboratory chemicals

Uses advised against No information available

Details of manufacturer or importer

**Corporate Headquarters** Manufacturer Bio-Rad Laboratories Inc. Bio-Rad Laboratories, Life Science Group Bio-Rad Laboratories Pty Ltd

1000 Alfred Nobel Drive 2000 Alfred Nobel Drive Hercules, CA 94547 Hercules, California 94547

USA USA

For further information, please contact

sales.australia@bio-rad.com

+61 2 9914 2800 or 1800 224 354

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC Australia: 61-290372994

### **SECTION 2: Hazards identification**

### GHS Classification

**Technical Service** 

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS)

#### Label elements

#### **Hazard statements**

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS)

#### **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

#### Other hazards which do not result in classification

No information available.

Page 1/10

# SECTION 3: Composition/information on ingredients

Substance

Not applicable

<u>Mixture</u>

| Chemical name             | CAS No.     | Weight-%     |
|---------------------------|-------------|--------------|
| Ethyl alcohol             | 64-17-5     | 10 - 20      |
| Methanol                  | 67-56-1     | 0.3 - 0.99   |
| Sodium lauryl sulfate     | 151-21-3    | 0.01 - 0.099 |
| Non-hazardous ingredients | Proprietary | Balance      |

### **SECTION 4: First aid measures**

**Description of first aid measures** 

General advice No hazards which require special first aid measures.

**Emergency telephone number** Poisons Information Centre, Australia: 13 11 26

Poisons Information Centre, New Zealand: 0800 764 766

**Inhalation** Remove to fresh air.

**Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a doctor.

**Skin contact** Wash skin with soap and water.

**Ingestion** Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

## SECTION 5: Firefighting measures

Suitable Extinguishing Media

surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the None known.

UGHS / BE Page 2/10

chemical

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

### SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

**Personal precautions** See section 8 for more information.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labelled containers.

Precautions to prevent secondary hazards

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

# SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible materials**None known based on information supplied.

### SECTION 8: Exposure controls/personal protection

Working area parameters, subject to mandatory control (MAC or TSEL)

#### **Exposure Limits**

| Chemical name | Australia                     | ACGIH TLV      |
|---------------|-------------------------------|----------------|
| Ethyl alcohol | TWA: 1000 ppm;                | STEL: 1000 ppm |
| 64-17-5       | TWA: 1880 mg/m <sup>3</sup> ; |                |
| Methanol      | TWA: 200 ppm;                 | TWA: 200 ppm   |
| 67-56-1       | TWA: 262 mg/m <sup>3</sup> ;  | STEL: 250 ppm  |
|               | STEL: 250 ppm;                | pSk            |

UGHS / BE Page 3/10

|  | STEL: 328 mg/m <sup>3</sup> ; |  |
|--|-------------------------------|--|
|--|-------------------------------|--|

#### **Biological occupational exposure limits**

| Chemical name | Australia | ACGIH                               |
|---------------|-----------|-------------------------------------|
| Methanol      | -         | 15 mg/L - urine (Methanol) - end of |
| 67-56-1       |           | shift                               |

#### Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection**Wear suitable protective clothing.

**Hand protection** Wear suitable gloves.

exceeded or irritation is experienced, ventilation and evacuation may be required.

**Environmental exposure controls** No information available.

# SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid

Appearance aqueous solution Nitrocellulose membrane filters

Colour white Odour Alcohol.

Odour threshold No information available

Property Values Remarks • Method

**pH** 8.9

Melting point / freezing point No data available None known

Initial boiling point and boiling range78 °C

Flash pointNo data availableNone knownEvaporation rateNo data availableNone knownFlammabilityNo data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour pressureNo data availableNone knownRelative vapour densityNo data availableNone knownRelative densityNo data availableNone known

Water solubility Partially miscible

Solubility(ies)No data availableNone knownPartition coefficientNo data availableNone known

Autoignition temperature 170 °C

**Decomposition temperature**None known

UGHS / BE Page 4/10

Revision date 26-Mar-2025

Kinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone knownExplosive propertiesNot applicableOxidising propertiesNot applicable

Other information

Molecular weightNot applicableVOC contentNot applicable

# **SECTION 10: Stability and reactivity**

Reactivity

**Reactivity** No information available.

**Chemical stability** 

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions 
None under normal processing.

**Conditions to avoid** 

Conditions to avoid None known based on information supplied.

**Incompatible materials** 

**Incompatible materials**None known based on information supplied.

**Hazardous decomposition products** 

Hazardous decomposition products None known based on information supplied.

# **SECTION 11: Toxicological information**

#### **Acute toxicity**

Information on likely routes of exposure

Product Information .

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available.

**Ingestion** Specific test data for the substance or mixture is not available

**Symptoms** No information available.

UGHS / BE Page 5/10

#### Numerical measures of toxicity - Product Information

No information available

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 27,602.90 mg/kg

 ATEmix (dermal)
 113,717.90 mg/kg

 ATEmix (inhalation-dust/mist)
 807.30 mg/l

**Component Information** 

| Chemical name         | Oral LD50          | Dermal LD50              | Inhalation LC50        |
|-----------------------|--------------------|--------------------------|------------------------|
| Ethyl alcohol         | = 7060 mg/kg (Rat) | -                        | = 116.9 mg/L (Rat) 4 h |
|                       |                    |                          | = 133.8 mg/L (Rat) 4 h |
| Methanol              | = 6200 mg/kg (Rat) | = 15840 mg/kg ( Rabbit ) | = 22500 ppm (Rat) 8 h  |
| Sodium lauryl sulfate | = 1288 mg/kg (Rat) | = 200 mg/kg (Rabbit)     | > 3900 mg/m³ (Rat) 1 h |

See section 16 for terms and abbreviations

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

# SECTION 12: Ecological information

#### **Ecotoxicity**

**Ecotoxicity** Harmful to aquatic life.

| Chemical name | Algae/aquatic plants | Fish   | Toxicity to    | Crustacea  |
|---------------|----------------------|--|----------------|--|
|               |                      |  | microorganisms |  |
| Ethyl alcohol | -                    | LC50: 12.0 - 16.0mL/L<br>(96h, Oncorhynchus<br>mykiss)<br>LC50: >100mg/L (96h,<br>Pimephales promelas) | -              | LC50: 9268 - 14221mg/L<br>(48h, Daphnia magna)<br>EC50: =2mg/L (48h,<br>Daphnia magna) |
|               |                      | LC50: 13400 - 15100mg/L<br>(96h, Pimephales<br>promelas)   |                |  |
| Methanol      | -                    | LC50: =28200mg/L (96h,   | -              | -  |

UGHS / BE Page 6/10

|                       |                           | Pimephales promelas)       |   |                      |
|-----------------------|---------------------------|----------------------------|---|----------------------|
|                       |                           | LC50: >100mg/L (96h,       |   |                      |
|                       |                           | Pimephales promelas)       |   |                      |
|                       |                           | LC50: 19500 - 20700mg/L    |   |                      |
|                       |                           | (96h, Oncorhynchus         |   |                      |
|                       |                           | mykiss)                    |   |                      |
|                       |                           | LC50: 18 - 20mL/L (96h,    |   |                      |
|                       |                           | Oncorhynchus mykiss)       |   |                      |
|                       |                           | LC50: 13500 - 17600mg/L    |   |                      |
|                       |                           | (96h, Lepomis              |   |                      |
|                       |                           | macrochirus)               |   |                      |
| Sodium lauryl sulfate | EC50: =53mg/L (72h,       | LC50: 15 - 18.9mg/L (96h,  | _ | EC50: =1.8mg/L (48h, |
| Social ladiyi sallate | Desmodesmus               | Pimephales promelas)       | _ | Daphnia magna)       |
|                       |                           |                            |   | Барппа таупа)        |
|                       | subspicatus)              | LC50: 8 - 12.5mg/L (96h,   |   |                      |
|                       | EC50: 30 - 100mg/L (96h,  | Pimephales promelas)       |   |                      |
|                       | Desmodesmus               | LC50: 22.1 - 22.8mg/L      |   |                      |
|                       | subspicatus)              | (96h, Pimephales           |   |                      |
|                       | EC50: =117mg/L (96h,      | promelas)                  |   |                      |
|                       | Pseudokirchneriella       | LC50: 4.3 - 8.5mg/L (96h,  |   |                      |
|                       | subcapitata)              | Oncorhynchus mykiss)       |   |                      |
|                       | EC50: 3.59 - 15.6mg/L     | LC50: =4.62mg/L (96h,      |   |                      |
|                       | (96h, Pseudokirchneriella | Oncorhynchus mykiss)       |   |                      |
|                       | subcapitata)              | LC50: =4.2mg/L (96h,       |   |                      |
|                       | . ,                       | Oncorhynchus mykiss)       |   |                      |
|                       |                           | LC50: =7.97mg/L (96h,      |   |                      |
|                       |                           | Brachydanio rerio)         |   |                      |
|                       |                           | LC50: 9.9 - 20.1mg/L       |   |                      |
|                       |                           | (96h, Brachydanio rerio)   |   |                      |
|                       |                           | LC50: 4.06 - 5.75mg/L      |   |                      |
|                       |                           | (96h, Lepomis              |   |                      |
|                       |                           | macrochirus)               |   |                      |
|                       |                           | LC50: 4.2 - 4.8mg/L (96h,  |   |                      |
|                       |                           | Lepomis macrochirus)       |   |                      |
|                       |                           | LC50: =4.5mg/L (96h,       |   |                      |
|                       |                           | Lepomis macrochirus)       |   |                      |
|                       |                           | LC50: 5.8 - 7.5mg/L (96h,  |   |                      |
|                       |                           | ~ :                        |   |                      |
|                       |                           | Pimephales promelas)       |   |                      |
|                       |                           | LC50: 10.2 - 22.5mg/L      |   |                      |
|                       |                           | (96h, Pimephales           |   |                      |
|                       |                           | promelas)                  |   |                      |
|                       |                           | LC50: 6.2 - 9.6mg/L (96h,  |   |                      |
|                       |                           | Pimephales promelas)       |   |                      |
|                       |                           | LC50: 13.5 - 18.3mg/L      |   |                      |
|                       |                           | (96h, Poecilia reticulata) |   |                      |
|                       |                           | LC50: 10.8 - 16.6mg/L      |   |                      |
|                       |                           | (96h, Poecilia reticulata) |   |                      |
|                       |                           | LC50: =1.31mg/L (96h,      |   |                      |
|                       |                           | Cyprinus carpio)           |   |                      |

Persistence and degradability

**Persistence and degradability** No information available.

Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

**Component Information** 

UGHS / BE Page 7/10

| Chemical name         | Partition coefficient |
|-----------------------|-----------------------|
| Ethyl alcohol         | -0.35                 |
| Methanol              | -0.77                 |
| Sodium lauryl sulfate | 1.6                   |

**Mobility** 

**Mobility** 

Mobility in soil No information available.

Other adverse effects

Other adverse effects No information available.

# **SECTION 13: Disposal considerations**

**Disposal methods** 

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

No information available.

**Contaminated packaging** Do not reuse empty containers.

# **SECTION 14: Transport information**

ADG Not regulated

IMDG Not regulated

Not regulated

Transport in bulk according to Annex II of MARPOL and the IBC Code

No information available

# **SECTION 15: Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **National regulations**

### <u>Australia</u>

See section 8 for national exposure control parameters

# Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number

### National pollutant inventory

Subject to reporting requirement

| Chemical name           | National pollutant inventory         |
|-------------------------|--------------------------------------|
| Ethyl alcohol - 64-17-5 | 10 tonne/yr Threshold category 1 VOC |
| Methanol - 67-56-1      | 10 tonne/yr Threshold category 1 VOC |

UGHS / BE Page 8/10

#### Banned and/or restricted

This product contains one or more substance(s) subject to prohibition, authorisation or restriction. Verify that requirements related to using, handling, and storing substances subject to prohibition, authorisation or restriction are met.

| Chemical name      | Carcinogen | Restricted substance                     |
|--------------------|------------|--|
| Methanol - 67-56-1 |            | For spray painting at a concentration of |
|                    |            | >1% by volume                            |

#### **International Inventories**

Contact supplier for inventory compliance status

#### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

### **SECTION 16: Other information**

Prepared By Bio-Rad Laboratories, Environmental Health and Safety

Revision date 26-Mar-2025

**Revision Note** Significant changes throughout SDS. Review all sections.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk\* Skin designation

C Carcinogen

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

**Environmental Protection Agency** 

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

UGHS / BE Page 9/10

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

UGHS / BE Page 10/10