



# SAFETY DATA SHEET

Revision date 08-Nov-2021

Revision Number 3

## 1. Identification

### Product identifier

**Product Name** Affi-Gel Hz Hydrazide

### Other means of identification

**Catalog Number(s)** 1536047, 1536050, 9701043

**UN/ID no** UN1219

### Recommended use of the chemical and restrictions on use

**Recommended use** Laboratory chemicals

**Restrictions on use** No information available

### Details of the supplier of the safety data sheet

#### Corporate Headquarters

Bio-Rad Laboratories Inc.  
1000 Alfred Nobel Drive  
Hercules, CA 94547  
USA

#### Manufacturer Address

Bio-Rad Laboratories, Life Science Group  
2000 Alfred Nobel Drive  
Hercules, California 94547  
USA

#### Legal Entity / Contact Address

Bio-Rad Laboratories (Canada) Ltd.  
1329 Meyerside Drive  
Mississauga, ON L5T 1C9  
Canada

#### **Technical Service**

1-800-361-1808  
support@bio-rad.com

### Emergency telephone number

**24 Hour Emergency Phone Number** CHEMTREC Canada:1 (800) 424-9300

## 2. Hazard(s) identification

### Classification

Serious eye damage/eye irritation	Category 2A
Flammable liquids	Category 2

### Label elements

#### **Danger**

#### **Hazard statements**

Causes serious eye irritation  
Highly flammable liquid and vapor

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
Ground and bond container and receiving equipment  
Use non-sparking tools  
Take action to prevent static discharges  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response****Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If eye irritation persists: Get medical advice/attention

**Skin**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]

**Fire**

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

**Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool

**Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

**Other information****3. Composition/information on ingredients****Substance**

Not applicable.

**Mixture**

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Isopropyl alcohol	67-63-0	80 - 100	-	

**4. First-aid measures**

**Description of first aid measures**

<b>General advice</b>	Show this safety data sheet to the doctor in attendance.
<b>Inhalation</b>	Remove to fresh air.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
<b>Self-protection of the first aider</b>	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing.

**Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	May cause redness and tearing of the eyes. Burning sensation.
-----------------	---

**Indication of any immediate medical attention and special treatment needed**

<b>Note to physicians</b>	Treat symptomatically.
---------------------------	------------------------

**5. Fire-fighting measures**

<b>Suitable Extinguishing Media</b>	Dry chemical. Carbon dioxide (CO <sub>2</sub> ). Water spray. Alcohol resistant foam.
<b>Unsuitable extinguishing media</b>	No information available.
<b>Specific hazards arising from the chemical</b>	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
<b>Explosion data</b>	
<b>Sensitivity to mechanical impact</b>	None.
<b>Sensitivity to static discharge</b>	Yes.
<b>Special protective equipment for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

**6. Accidental release measures****Personal precautions, protective equipment and emergency procedures**

<b>Personal precautions</b>	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.
<b>Other information</b>	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

**Methods and material for containment and cleaning up**

<b>Methods for containment</b>	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
<b>Methods for cleaning up</b>	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

## 7. Handling and storage

### Precautions for safe handling

<b>Advice on safe handling</b>	Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.
--------------------------------	---

### Conditions for safe storage, including any incompatibilities

<b>Storage Conditions</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store according to product and label instructions.
---------------------------	--

## 8. Exposure controls/personal protection

### Control parameters

#### Exposure Limits

Chemical name	Alberta	British Columbia	Ontario	Quebec
Isopropyl alcohol 67-63-0	TWA: 200 ppm TWA: 492 mg/m <sup>3</sup> STEL: 400 ppm STEL: 984 mg/m <sup>3</sup>	TWA: 200 ppm STEL: 400 ppm	TWA: 200 ppm STEL: 400 ppm	TWA: 400 ppm TWA: 985 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1230 mg/m <sup>3</sup>

### Appropriate engineering controls

<b>Engineering controls</b>	Showers Eyewash stations Ventilation systems.
-----------------------------	---

### Individual protection measures, such as personal protective equipment

<b>Eye/face protection</b>	Tight sealing safety goggles.
<b>Hand protection</b>	Wear suitable gloves. Impervious gloves.
<b>Skin and body protection</b>	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.

<b>Respiratory protection</b>	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
<b>General hygiene considerations</b>	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

<b>Physical state</b>	Liquid
<b>Appearance</b>	Slurry
<b>Color</b>	colorless
<b>Odor</b>	Alcohol
<b>Odor threshold</b>	No information available

<b>Property</b>	<b>Values</b>	<b>Remarks • Method</b>
<b>pH</b>		None known
<b>Melting point / freezing point</b>	-89.5 °C / -129.1 °F	
<b>Boiling point / boiling range</b>	82 °C / 179.6 °F	
<b>Flash point</b>	13 °C / 55.4 °F	
<b>Evaporation rate</b>	No data available	None known
<b>Flammability (solid, gas)</b>	No data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive limits</b>	No data available	
<b>Vapor pressure</b>	No data available	None known
<b>Vapor density</b>	No data available	None known
<b>Relative density</b>	No data available	None known
<b>Water solubility</b>	Partially miscible	
<b>Solubility in other solvents</b>	No data available	None known
<b>Partition coefficient</b>	No data available	None known
<b>Autoignition temperature</b>	No data available	None known
<b>Decomposition temperature</b>		None known
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	No data available	None known

### Other information

<b>Explosive properties</b>	Not applicable.
<b>Oxidizing properties</b>	Not applicable.
<b>Softening point</b>	Not applicable.
<b>Molecular weight</b>	Not applicable
<b>VOC Content (%)</b>	Not applicable

## 10. Stability and reactivity

<b>Reactivity</b>	No information available.
<b>Chemical stability</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions</b>	None under normal processing.
<b>Conditions to avoid</b>	Heat, flames and sparks.
<b>Incompatible materials</b>	None known based on information supplied.

**Hazardous decomposition products** None known based on information supplied.

## 11. Toxicological information

### Information on likely routes of exposure

#### Product Information

<b>Inhalation</b>	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** May cause redness and tearing of the eyes.

### Acute toxicity

### Numerical measures of toxicity

#### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl alcohol 67-63-0	= 1870 mg/kg ( Rat )	= 4059 mg/kg ( Rabbit )	= 72600 mg/m <sup>3</sup> ( Rat ) 4 h

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Skin corrosion/irritation</b>	May cause skin irritation.
<b>Serious eye damage/eye irritation</b>	Classification based on data available for ingredients. Causes serious eye irritation.
<b>Respiratory or skin sensitization</b>	Based on available data, the classification criteria are not met.
<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol 67-63-0	-	Group 3	-	X

#### Legend

**IARC (International Agency for Research on Cancer)**

Group 3 - Not Classifiable as to Carcinogenicity in Humans

**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**

X - Present

<b>Reproductive toxicity</b>	Based on available data, the classification criteria are not met.
<b>STOT - single exposure</b>	Based on available data, the classification criteria are not met.

<b>STOT - repeated exposure</b>	Based on available data, the classification criteria are not met.
<b>Target organ effects</b>	Respiratory system, Eyes, Skin.
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.

## 12. Ecological information

### Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isopropyl alcohol 67-63-0	EC50: >1000mg/L (72h, <i>Desmodesmus subspicatus</i> ) EC50: >1000mg/L (96h, <i>Desmodesmus subspicatus</i> )	LC50: =11130mg/L (96h, <i>Pimephales promelas</i> ) LC50: =9640mg/L (96h, <i>Pimephales promelas</i> ) LC50: >1400000µg/L (96h, <i>Lepomis macrochirus</i> )	-	EC50: =13299mg/L (48h, <i>Daphnia magna</i> )

**Persistence and degradability** No information available.

**Bioaccumulation** There is no data for this product.

### Component Information

Chemical name	Partition coefficient
Isopropyl alcohol 67-63-0	0.05

**Other adverse effects** No information available.

## 13. Disposal considerations

### Waste treatment methods

**Waste from residues/unused products** Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

## 14. Transport information

### TDG

UN/ID no	UN1219
UN proper shipping name	ISOPROPANOL
Transport hazard class(es)	3
Packing group	II
Description	UN1219, ISOPROPANOL, 3, II

### DOT

UN/ID no	UN1219
Extended Description	ISOPROPANOL
Transport hazard class(es)	3

Packing group	II
Special Provisions	IB2, T4, TP1
Description	UN1219, ISOPROPANOL, 3, II
Emergency Response Guide Number	129

**MEX**

UN/ID no	UN1219
UN proper shipping name	ISOPROPANOL
Transport hazard class(es)	3
Packing group	II
Description	UN1219, ISOPROPANOL, 3, II

**IATA**

UN number or ID number	UN1219
UN proper shipping name	Isopropanol
Transport hazard class(es)	3
Packing group	II
ERG Code	3L
Special Provisions	A180
Description	UN1219, Isopropanol, 3, II

**IMDG**

UN number or ID number	UN1219
UN proper shipping name	ISOPROPANOL
Transport hazard class(es)	3
Packing group	II
EmS-No	F-E, S-D
Marine pollutant	NP
Description	UN1219, ISOPROPANOL, 3, II, (13°C C.C.)

**15. Regulatory information****Safety, health and environmental regulations/legislation specific for the substance or mixture****International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

**International Inventories**

Contact supplier for inventory compliance status

**16. Other information**

<b>NFPA</b>	Health hazards 2	Flammability 3	Instability 0	Physical and chemical properties - Personal protection X
<b>HMIS</b>	Health hazards 2	Flammability 3	Physical hazards 0	

**Key or legend to abbreviations and acronyms used in the safety data sheet****Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

**Key literature references and sources for data used to compile the SDS**



Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AEGl(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
Japan GHS Classification  
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
Organization for Economic Co-operation and Development Screening Information Data Set  
RTECS (Registry of Toxic Effects of Chemical Substances)  
World Health Organization

**Prepared By** Bio-Rad Laboratories, Environmental Health and Safety.

**Revision date** 08-Nov-2021

**Revision Note** Significant changes throughout SDS. Review all sections.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**